List PWS ID #s for all Community Water Systems included in this CCR
The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public was ystem, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to to customers upon request. Make sure you follow the proper procedures when distributing the CCR. You must mail, fax email a copy of the CCR and Certification to MSDH. Please check all boxes that apply.
Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
☐ Advertisement in local paper (attach copy of advertisement) ☐ On water bills (attach copy of bill) ☐ Email message (MUST Email the message to the address below) ☐ Other
Date(s) customers were informed:/,
CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivered methods used
Date Mailed/Distributed://
CCR was distributed by Email (MUST Email MSDH a copy) As a URL (Provide URL As an attachment As text within the body of the email message
CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper: We we like the formula of Newspaper of Newspaper. Date Published: 4/30 / 15
CCR was posted in public places. (Attach list of locations) Date Posted:/
CCR was posted on a publicly accessible internet site at the following address (DIRECT URL REQUIRED
CERTIFICATION I hereby certify that the 2014 Consumer Confidence Report (CCR) has been distributed to the customers of the public water system in the form and manner identified above and that I used distribution methods allowed the SDWA. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply. Name/Title (President, Mayor, Owner, etc.)
Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 May be faxed to: (601)576-7800

Jackson, MS 39215

May be emailed to: water.reports@msdh.ms.gov

MISSISSIPPI STATE DEPARTMENT OF HEALTH 2015 MAY -6 AM 8: 37
BUREAU OF PUBLIC WATER SUPPLY

CCR CERTIFICATION

CALENDAR YEAR 2014

Jane

Public Water Supply Name

TIME THYMTER SUPPLY

2015 APR 27 PM 4: 18

2014 Annual Drinking Water Quality Report Hiwannee Water Association, Inc. PWS#: 770005 & 770008

April 2015

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Lower Wilcox Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Hiwannee Water Association have received a lower susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact Sarah Doby at 601-735-5249. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Thursday of the month at 8:30 AM at 929 Wayne Street, Waynesboro, MS 39367.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1st to December 31st, 2014. In cases where monitoring wasn't required in 2014, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source	of Contamination
			4						
Microbiolo	gical Co	ntamın	ants						

~ .									and electronics production wastes
10. Barium	N	2013*	.035	.010035	ppm		2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2013*	3.5	2.9 – 3.5	ppb		100	10	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2012/14	.5	0	ppm		1.3	AL=1.	 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2013*	.56	.35556	ppm		4		4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2012/14	3	0	ppb		0	AL=1	5 Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2013*	3.2	2.9 – 3.2	ppb		50	5	 Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	n By-	Products	14	5 - 14	ppb	0		60	By-Product of drinking water
01.11/40	'`	2017			ppb	Ŭ			disinfection.
82. TTHM [Total trihalomethanes]	N	2014	75.34	38.6 – 75.34	ppb	0			By-product of drinking water chlorination.
Chlorine	N	2014	.7	0 - 3	Mg/l	0	MDR		Water additive used to control microbes

PWS #: 07'	70008			TEST RE	SULTS						
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	6 MC	L	Likely Source	of Contamination	
Microbiolo	gical C	ontamii	nants								
1. Total Coliform Bacteria	N	January	Positive	2	NA		0 pr	presence of coliform Naturally presence in 5% of monthly samples			
Inorganic (Contam	inants									
8. Arsenic	N	2013*	.5	No Range	ppb	n/	'a	10	Erosion of natural deposits; run from orchards; runoff from glass and electronics production was		
10. Barium	N	2013*	.0275	No Range	Ppm		2	2	Discharge of drilling wastes; discharge from metal refinerion erosion of natural deposits		
13. Chromium	N	2013*	3.6	No Range	ppb	10	10 1	100		Discharge from steel and pulp mills; erosion of natural deposits	
14. Copper	N	2012/14	.2	0	ppm	1.	3 AL=	1.3	systems; eros	ousehold plumbing ion of natural hing from wood	
16. Fluoride	N	2013*	.608	No Range	ppm		4	4	additive which	ural deposits; water promotes strong ge from fertilizer and ories	
17. Lead	N	2012/14	3	0	ppb		0 AL=	=15	Corrosion of h systems, eros deposits	ousehold plumbing ion of natural	
Disinfection	n By-Pı	oducts									
81. HAA5	N	2014	20	10- 20	ppb	0	60		-Product of drin	king water	
82. TTHM [Total trihalomethanes]	Υ	2014	145.03	97 – 145.03	ppb	0	80		-product of drin lorination.	king water	
Chlorine	N	2014	.9	.05 – 3	ppm	0 1	IDRL = 4		ater additive us crobes	ed to control	

Microbiological Contaminants:

(1) Total Coliform. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

Disinfection By-Products:

(82) Total Trihalomethanes (TTHMs). Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

We routinely monitor for the presence of drinking water contaminants. On system # 0770005 - We took four samples for coliform bacteria during June 2014. Three of those samples showed the presence of coliform bacteria. The standard is that no more than 1 sample per month of our samples may do so. Also, the law requires that valid resamples be collected for each positive sample within 24 hours. We did not collect the required resamples within the required time and this caused our system to not receive credit for the first three resamples collected. We did not find any bacteria in our subsequent testing which shows that this problem has been resolved. On system # 0770008 - We took two samples for coliform bacteria during January 2014. Two of those samples showed the presence of coliform bacteria. The standard is that no more than 1 sample per month of our samples may do so. We did not find any bacteria in our subsequent testing which shows that this problem has been resolved.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period. Testing results on show that our system exceeded the standard, or maximum contaminant level (MCL) for Disinfection By-Products. Our systems exceeded the MCL for TTHM in 2013.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Hiwannee Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Please note: this report will not be mailed to customers individually, it will be published in local paper.

77/05 4 77/08
2015 MAY -6 AM 8: 37

AFFIDAVIT	AFFIDAVIT									
WAYNE COUNTY NEWS PO BOX 509 DATE WAYNESBORO, MS 39387	4/30/2015									
					2014 An His	nual Drinking annee Weter PWS#: 7700 April	Water Quality Association, I 05 & 770008	Report.		
HIWANEE WATER ASSOCIATION 929 WAYNE ST WAYNESBORO, MS 39367		and services we d	eliver to y	ou every day	y. Our conste nake to cont	Quality Water R ant goel is to pr inually improve	eport. This reprovide you with I	a aafe and ment prod	depends	form you about the questy ble supply of drinking wat protect our water resource wer Wilcox Aquifer.
		water supply to determinations w # Hiwannee Water	dentified tre made Associatio	potential so has been fu n nave recel	urces of co mished to ou wed a lower	ntamination. A or public water susceptibility re	report contein system and is a nking to conten	ing delaik wallable fo nination	or viewing	erali susceptibility of its d alian on how the susce upon request. The wells
	j									y at 601-735-5249. We we any of our regularly ach oro, MS 39367
										This table below lists all \$14. In cases where mon and or underground, it dis contaminants from the pre is from sewage treatment.
NO.	P.O. NO									d melals, which can be no end gas production, min urban storm-water runs lich are by synducts of in- ractive contaminants, who e that tap water is safe to
2014 ANNUAL DRINKING WATER QUALITY REPORT	\$381.00		dil find ma	ny terma and						o constituents: It's import lealth risk: understand these larms remants which a water a
		Action Level - th			ntaminant w	mich, if excess	ed, triggers tre	alment or	other req	uiremants which a water :
		must follow. Maximum Conter	Vosat Lav	el (MCL) - T	ne 'Medmu	m Allowed" (Mi	CL) (s (he highe	ist level of	a contar	nnant that is allowed in d
Ford Care Being		water, MCLs are Maximum Contar	¥∩ant Ley	el Goal (MC	LG) - The "G	oer(MCLG) is	the level of a co			ng water below which then
sworn says that he is Publisher of the Wayne County News,		known or expects Maximum Resido	al Cisinfe	ciant Lavel	MRDLI ~ T	he highest levi	i of a disinfect	ant allow	ed in drin	king water. There is com
which publishes a weekly newspaper in the County of Wayne, State of Mississippi: and the attached notice appeared in the issue(s) of the Wayne County News.		evidence that add Maximum Residi expected risk of i		100000000000000000000000000000000000000				350,000	ectant be trol micro	low which there is no kn bial contaminants.
Publish Dates Volume No.		PWS#: 07	70005			TEST RE				
APR 30, 2015 125 18 KEANE		Conteminant	Violation	Date Conected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unk Measurement	MCLG	MCL	Likely Source of Contembra
10 Nc 87367 x		Microbiolo	oical C	ontamir	nante	k e				
Comm Expression (Colober 14, 2015)		1 - Total Coliforn Bacteria		June	Positive & Monitoring	T 3	NA.	0	preser 63	ce of coliform Naturally pre- denta in 5% of in the enviro
Sworn to and subscribed before me on		Inorganie	Contan	ninants				L	me	nthly samples (
this day of April 2015		S. Arsenio	N	2013*	'	.87	opb	7/4	10	Erosion of natural deposits, from orchards, runoff from g and electronics production
Ilous /lear		10: Burium	N	2013	.035	,010 ÷ .038	ppm	2		Discharge of drilling wastes discharge from mask refore erosion of natural deposits
Notary Public My Commission Expires 10 1-4 5		13. Chromium	н	2013*	3.5	2.9-3.5	pab	100	100	Discharge from steel and pu mile, exosion of natural dep
	\$	14. Copper	н	2012/14	.5	0	ppin	1.3	AL+13	Corresion of household plor systems; erosion of natural deposits; leading from woo preservatives
WE APPRECIATE YOUR BUSINESS FOR BILLING INQUIRES-CALL (601-735-4341)		16. Fluoride	N	2013*	56	35556	port	*	•	preservatives Erosion of natural deposits; additive which promotes air teem, decharge from ferific and aluminum factories
		17. Lead	N	2012/14	3	0	ppb	0	AL=15	Corrosion of household plur systems, emaion of natural
	1	21. Selenium	H	20131	37	29-32	ppb	50	50	deposits Discharge from petroleom 6

81. HAA3	N	2014	14	5-14	ODE	٥	60	By-Product of drinking weler disinfection
B2. TTHM [Total Inhalomethanas]	H	2014	75,34	38.6 - 75.34	pptr	0		By-product of drinking water chlorination.
Chlorine	N	2014	7	0-3	Mon	0	MORL = 4	Water additive used to control microbes

PWS #: 077	0008			TEST RE	SULTS			- Q		
Contaminant	Violation Y/N	Ogta Collected	Lével Detectes	Range of Detects or # of Sumples Exceeding MCL/ACL	Unit Measurement	MCL	G	MČL	Likely Squeck	of Contamination
Microbiolo	gical C	ontami	nants							
1. Total Coldom Becteria	N	January:	Pasitive	2	88		o		sence of collions bacteria in 5% of monthly samples	Naturally present in the environmen
Inorganic C	ontan	inants								
8. Arsenic	н	2013*	.5	No Range	Dop		n/a		from occhard	tural deposas; runo s; runolf from glass as production wast
10. Barium	N	2013*	,0275	No Range	Ppm		2		discharge fro	drilling wastes; m metal reflocites, tural deposits
13. Chromium	N	2013*	3.5	No Range	ppb		100	1	Discharge fr mility erosion	om eteel and pulp of natural deposits
14: Copper	н	2012/14	2	0	ppm		1.3	ALHI	systems; ex	hassehold plumblit sion of natural ching from wood
18, Fluorida	N .	2013*	.808	No Range	ppm				additive while teethy discha and shirming	
17. Lead	N	2012/14	3	0	bop		0	AL		household plumbin sion of natural
Disinfection	By-P	roducts				Y 18	ÌΪ			
61. RAAS	N	2014	20	10-20	рев	٥	15	99	By-Product of di disinfection	inking water
82. TTHM [Total Inhalomethanes]	Y	2014	145.03	97 145.03	ppb	0		80	By-product of de chloritation	
Chlorine	N.	2014	9	.05 ~ 3	ppm	0	MD	(* 4	Water additive of microbes	sed to control

77/08